



Project Descriptions

MIDRANGE MINOR KITCHEN REMODEL

Update a functional but dated 200-square-foot kitchen. Leave the 30 linear feet of cabinet boxes in place but replace fronts with new shaker-style wood panels and drawer fronts, including new hardware. Replace combination cooktop/oven range and slide-in refrigerator with new energy-efficient models and install midpriced sink and faucet. Replace 30 linear feet of laminate countertop and repaint trim. Add wall covering. Remove and replace resilient flooring.

MIDRANGE MAJOR KITCHEN REMODEL

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets. Install a 3x5-foot island, laminate countertops, and standard double-tub stainless-steel sink with standard single-lever faucet. Include energy-efficient range, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring, and finish with painted walls, trim, and ceiling.

UPSCALE MAJOR KITCHEN REMODEL

Update 200-square-foot kitchen with 30 linear feet of custom white cabinets with built-in sliding shelves. Install stone countertops with ceramic- or glass-tile backsplash and undermount sink with designer faucets and water filtration system. Include built-in refrigerator; commercial-grade cooktop and vent hood; wall oven; and built-in microwave unit. Include low-voltage undercabinet lights. Install tile or flooring that looks like wood.

MIDRANGE BATHROOM REMODEL

Update an existing 5x7-foot bathroom with ceramic tile floor. Replace existing tub

with 30x60-inch porcelain-on-steel tub with ceramic tile surround and new single-lever shower control. Replace fixtures with new standard white toilet, solid-surface vanity counter with integral sink, and recessed medicine cabinet with light.

UPSCALE BATHROOM REMODEL

Expand an existing 35-square-foot bathroom to 100 square feet with large-ceramic-tile floor and in-floor heating. Install 42x42-inch neo-angle shower with ceramic tile walls, body-spray fixtures, and frameless glass enclosure. Add heated towel bars. Install a free-standing soaker tub with high-end faucets and a compartmentalized commode area with one-piece toilet. Install a custom drawer base and wall cabinets, and stone countertop with two sinks.

UNIVERSAL DESIGN BATHROOM

Update existing 5x7-foot space to be wheelchair-accessible (zero threshold, 36-inch-wide door) and install flat-panel electrical switches at sitting level (36 to 42 inches above floor). Replace toilet with comfort-height fixture featuring elongated bowl and bidet-type seat. Remove existing bathtub and install curbless, tiled, walk-in shower with adjustable showerhead, foldout seat, thermostatic mixing valve, and bi-directional glass door. Replace flooring with electric radiant heat beneath new luxury vinyl tile flooring. Install adaptiveliving vanity with easy-grasp handles and adjustable mirror. Install LED lights, infrared ceiling light, night light, and ultra-quiet vent fan with humidity-sensing controls. Install ceramic tiles on walls with two contrasting color stripes. Install nine towel bars that can support 250 pounds and reconfigure storage to be accessible from a seated position.

MIDRANGE BATHROOM ADDITION

Add a full 6x8-foot bathroom over a crawlspace with poured concrete walls, ceramic tile floor, and painted trim. Install cultured-marble vanity top with molded sink, standard chrome faucets, and mirrored medicine cabinet. Install 30x60-inch white fiberglass tub/shower with ceramic tile surround and single-lever faucet. Install white low-profile toilet and linen closet. Install general and spot lighting.

UPSCALE BATHROOM ADDITION

Add a 100-square-foot master bathroom with large-ceramic-tile floor and in-floor heating. Install 42x42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Install a free-standing soaker tub with high-end faucets and a compartmentalized commode area with one-piece toilet. Install a custom drawer base and wall cabinets, stone countertop with two sinks.

MIDRANGE PRIMARY SUITE ADDITION

Add a 24x16-foot master bedroom suite over a crawlspace with carpet on bedroom floor and ceramic tile on bathroom floor. Include walk-in closet/dressing area in bedroom. In bathroom, include a free-standing soaker tub, separate 3x4-foot walk-in ceramic tile shower, exhaust fan, and double-bowl vanity with solid-surface countertop. Both bedroom and bathroom include painted walls, ceiling, and trim with general and spot lighting.

UPSCALE PRIMARY SUITE ADDITION

Add a 32x20-foot master bedroom suite over a crawlspace with in-floor heating, soundproofing between addition and living area, custom wall finishes and hardware, and French doors. Include a large sleeping area with lounge and a gas fireplace





with stone hearth and custom mantle, custom bookcases and built-in storage with millwork details, and large walk-in closet. Upscale bathroom with dual shower, free-standing soaker tub and frameless glass enclosure. Add hospitality center.

CONVERT FROM FOSSIL-FUEL FURNACE TO ELECTRIC HEAT PUMP

Remove and dispose of existing natural gas, propane, or oil furnace. Install electric heat pump to heat and cool 2,000-square-foot home. Remove existing metal ductwork and grilles, patch drywall, and touch up paint. Add required electrical wiring to service panel. Install five line sets and five indoor wall units (two 9,000-Btu units, one 6,000-Btu unit, in bedrooms; two 12,000-Btu units in main living areas).

STEEL ENTRY DOOR REPLACEMENT

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge-steel unit, including clear, dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brick-mold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored lock.

FIBERGLASS GRAND ENTRANCE

Remove existing 3-0/6-8 entry door and cut and reframe opening for a 12-36-12 entrance door with dual sidelights. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative half-glass with sidelights to match door. PVC-wrapped exterior trim in color to match existing trim and wider interior colonial or ranch casings finished to match door.

GARAGE DOOR REPLACEMENT

Remove and dispose of existing 16x7-foot garage door and tracks. Install new four-

section garage door with lifetime warranty on new, heavy-duty galvanized steel tracks, and reuse existing motorized opener. New door is high-tensile-strength steel with two coats of factory-applied paint, and foam-insulated to minimum R-12, with thermal seals between pinch-resistant panels. Windows in top panel are ½-inch insulated glass.

COMPOSITE DECK ADDITION

Add a 16x20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern with a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade, and provide a complete railing using a matching system made of the same composite as the decking material.

WOOD DECK ADDITION

Add a 16x20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install pressure-treated deck boards in a simple linear pattern with a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade, and provide a complete railing system using pressure-treated wood posts, railings, and balusters.

ASPHALT ROOF REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares (3,000 square feet) of laminated roof shingles with new underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof, custom flashing at two average-size skylights, and custom cap treatment at vented ridge.

METAL ROOF REPLACEMENT

Remove roofing to bare wood sheathing. Install ice-barrier membrane on roof perimeter and in valley areas and a premiumgrade synthetic underlayment. Install 3,000 square feet of standing-seam metal roofing. Install matching pre-formed accessories including starter strip/drip edge, gable trim, cleated valley, hip flashing, and vented ridge flashing. Assume a 5-square hip roof, custom flashing at two average-size skylights, and custom cap treatment at vented ridge.

WOOD WINDOW REPLACEMENT

Replace 10 existing 3x5-foot double-hung windows with insulated, Energy Star, simulated-divided-light wood windows. Interior finish of stained hardwood. Exterior of colored aluminum cladding to match siding. Replace shutters and exterior casing without disturbing existing siding.

VINYL WINDOW REPLACEMENT

Replace 10 existing 3x5-foot double-hung windows with insulated, Energy Star, simulated-divided-light vinyl windows. Replace shutters and exterior casing without disturbing existing siding.

VINYL SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new siding, including coil stock over all trim.

FIBER-CEMENT SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new, fiber-cement siding, factory primed and factory painted. Include all 4/4 and 5/4 trim using either fiber-cement boards or cellular PVC.

MANUFACTURED STONE VENEER

Remove a 300-square-foot continuous band of existing vinyl siding from the bottom third of the street-facing façade. Replace with adhered veneer, including 36 linear feet of sills, 40 linear feet of corners, and one address block. Include two layers of water-resistive barrier over bare sheathing, corrosion-resistant lath and fasteners, and ½-inch mortar scratch coat and setting bed. Outline the archway using an 8x10-inch keystone.



Reuse and Licensing of Data

COPYRIGHTED MATERIAL

The Remodeling Cost vs. Value Report contains copyrighted material that is being made available in free downloadable PDF documents as a public service. Any reuse without express permission is prohibited, including but not limited to the following:

- 1. RESALE. The Cost vs. Value Report, whether in whole or part, may not be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
- 2. PUBLICATION OF DATA. The Cost vs. Value Report, whether in whole or part, may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium without obtaining express permission.
- 3.APPLICATIONS/SOFTWARE. The Cost vs. Value Report, whether in whole or part, may not be incorporated for use in any kind of computer- or Web-based application, calculator, database, or

other automated, electronic, or digital device, instrument, or software except as licensed by Zonda Media (see Licensing, below).

EXCERPTING COST VS. VALUE REPORT

Excerpts of Cost vs. Value Report data may not take the form of a chart or table that simulates the manner in which the data is displayed at www.costvsvalue.com.

Excerpts of Cost vs. Value Report data may, however, be made as part of a narrative, provided that the sum total of all excerpts from any publisher in all formats does not exceed data from more than five projects.

ACKNOWLEDGING COST VS. VALUE AS DATA SOURCE

When excerpting Cost vs. Value Report data, refer to the "2024 Cost vs. Value Report" and include the URL www.costvsvalue.com. All excerpts must be accompanied by one or more


instances of the following acknowledgements of copyright:

"©2024 Zonda Media, a Delaware corporation. Complete data from the 2024 Cost vs. Value Report can be downloaded free at www.costvsvalue.com."

LICENSING OF 2024 COST VS. VALUE REPORT DATA

For permission to license data from the 2024 Cost vs. Value Report for use in any kind of computer, or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software, include the following in an email request to costvsvaluepermissions@zondahome.com

- a description of the application, calculator, or device for which use of the data is being requested. Include the length of time for which the license is sought.
- a detailed description of the material to be licensed (e.g., specific projects, cities, etc.).





NOT JUST DIFFERENT. BETTER!

ASCEND® Composite Cladding has the **remarkably realistic look of wood** you want—and the **lower total installed cost** you need. Our 7" flat-face plank creates an **authentic**, **high-end style** that combines beauty, affordability, durability and **low maintenance** all in one.





LIFETIME LIMITED WARRANTY



20 FADE-RESISTANT COLORS

Learn more at alside.com/ascend

EASY INSTALLATION

- Strong, lightweight construction with self-aligning stack lock
- Easier and quicker to install than fiber cement and engineered wood
- Fewer steps—no sealing, touching up, joint flashing or caulking





ENGINEERED TO BE SUSTAINABLE. DESIGNED TO BE BEAUTIFUL.

Auraline® True Composite windows and patio doors were created with sustainability and design in mind. Made with next-generation composite that includes reclaimed wood fiber and built-in color. Designed with unobstructed sight lines, clean corners, and more visible glass. And offering ENERGY STAR® certified options for all climate zones. A contemporary luxury look, designed for the future.

To learn more about Auraline® True Composite, scan here or visit jeld-wen.com/Auraline





<u>AURAL!NE</u>



JELD WEN.

QUALITY CRAFTSMANSHIP. PEAK PERFORMANCE.

ProVia fiberglass and steel doors are custom-built using professional-quality materials, ensuring a precise fit, durability, and outstanding energy efficiency. Our entry doors are available in a multitude of styles, finishes, paint colors, and glass and hardware options, allowing you to design a welcoming entryway that complements the character of your home.

Learn more at: provia.com/doors





A REMODELING PROJECT you can take TO THE BANK



A top ranked project for return on investment

Upgrading a garage door is one of the smartest investments a homeowner can make. In fact, according to the latest Cost vs. Value Report*, replacing a basic garage door with an upgraded one is one of the top ranked renovations in the study. Now, that's a return on investment you can take to the bank.

The Genuine. The Original.



www.overheaddoor.com





Tax Credit-Qualifying Windows from Alside!



Our **new, innovative** ClimaTech® insulated glass packages from Alside are designed with you in mind: superior thermal performance, cost friendly–and meet ENERGY STAR® 7.0 and Most Efficient criteria in all climate zones to **help qualify for tax credits.**Most Efficient 2023

Explore more at alside.com

Don't just take our word for it! ClimaTech Pri**ME** has earned the HBS Golden Hammer Award as well as the Window + Door Honorable Mention Award for 2023!









XactRemodel-





1. Launch XactRemodel



2. Input the property information



3. Select line items or use Quick Estimate




Start today with a 30-day free trial Xactremodel.com/free-trial

ARTFULLY CRAFTED FOR THE LOOK OF **AUTHENTIC STONE.**

ProVia manufactured stone looks like the real thing because each mold is handcrafted to capture the character of natural stone. Rugged textures and authentic coloring produce dramatic effects in each profile, resulting in a nearperfect replicate of quarried stone. Ideal as an exterior cladding, outdoor feature, interior stone wall, or fireplace surround, ProVia stone will elevate the beauty of your home.

Learn more at: provia.com/stone







	· ·	KANSAS CITY				WEST NORTH CENTRAL				2023 NATIONAL AVERAGES			
PROJECT TYPE	Job Cost	Resale Value	Cost Recouped		Job Cost	Resale Value	Cost Recouped		Job Cost	Resale Value	Cost Recouped		
Minor Kitchen Remodel Midrange	25,958	23,752	91.5%		26,427	22,001	83.3%		27,492	26,406	96.1%		
Major Kitchen Remodel Midrange	77,220	36,958	47.9%		77,239	31,499	40.8%		79,982	39,587	49.5%		
Major Kitchen Remodel Upscale	152,238	54,981	36.1%		152,535	48,383	31.7%		158,530	60,176	38.0%		
Bath Remodel Midrange	24,539	15,424	62.9%		25,082	14,468	57.7%		25,251	18,613	73.7%		
Bath Remodel Upscale	77,027	28,902	37.5%		78,274	27,756	35.5%		78,840	35,591	45.1%		
Bath Remodel Universal Design	39,813	14,604	36.7%		40,458	14,005	34.6%		40,750	20,148	49.4%		
Bathroom Addition Midrange	56,205	16,187	28.8%		57,521	16,003	27.8%		58,586	20,334	34.7%		
Bathroom Addition Upscale	102,907	28,216	27.4%		102,776	27,440	26.7%		107,477	34,997	32.6%		
Primary Suite Addition Midrange	155,672	47,546	30.5%		158,398	45,043	28.4%		164,649	58,484	35.5%		
Primary Suite Addition Upscale	329,706	69,664	21.1%		332,680	62,260	18.7%	;	339,513	81,042	23.9%		
HVAC Conversion Electrification	17,794	9,816	55.2%		18,425	10,137	55.0%		18,800	12,422	66.1%		
Entry Door Replacement Steel	2,283	3,587	157.1%		2,294	3,498	152.5%		2,355	4,430	188.1%		
Grand Entrance Fiberglass	10,684	7,324	68.6%		10,938	8,104	74.1%		11,353	11,054	97.4%		
Garage Door Replacement	4,531	7,172	158.3%		4,586	7,264	158.4%		4,513	8,751	193.9%		
Deck Addition Composite	22,505	16,341	72.6%		22,206	15,562	70.1%		24,206	16,498	68.2%		
Deck Addition Wood	15,464	13,024	84.2%		15,944	12,398	77.8%		17,615	14,596	82.9%		
Roofing Replacement Asphalt Shingles	22,532	12,219	54.2%		26,824	12,463	46.5%		30,680	17,461	56.9%		
Roofing Replacement Metal	38,133	16,563	43.4%		43,987	17,757	40.4%		49,928	24,034	48.1%		
Window Replacement Wood	24,629	14,463	58.7%		25,037	16,529	66.0%		25,799	16,222	62.9%		
Window Replacement Vinyl	19,695	11,741	59.6%		20,864	13,516	64.8%		21,264	14,270	67.1%		
Siding Replacement Vinyl	15,899	10,963	69.0%		18,032	11,681	64.8%		17,410	13,957	80.2%		
Siding Replacement Fiber-Cement	18,950	16,926	89.3%		21,738	16,652	76.6%		20,619	18,230	88.4%		
Manufactured Stone Veneer	12,574	13,994	111.3%		11,351	12,624	111.2%		11,287	17,291	153.2%		

